Public Health Institutes of the World



#### Participation of the National Institute of Public Health in the implementation of FCTC in Mexico





**IANPHI Annual Meeting 2011** 

Hilton Helsinki Kalastajatorppa, Helsinki, Finland

Towards Strong and Connected Public Health Institutes

#### **Mexico and the FCTC**

- March 1, 2003. Mexico took part in the 6<sup>th</sup> meeting of the WHO-FCTC
- May 21, 2003. WHO-FCTC was adopted by the WHO assembly
- April 14, 2004. The WHO FCTC was approved by the Mexican Congress
- May 28, 2004. Mexico ratified the WHO
  FCTC
- The Mexico Smoke-free legislation came into in force in May 30, 2008






**1) Conducts Tobacco National Surveys** Global Tobacco Surveillance System



Prevalence of adult smoking in Mexico, 1988-2008



however in young people it has increased by 3%

#### 2) Impact evaluation of Mexico City's legislation




#### Tobacco Products Laboratory in the NIPH

LACOT Laboratorio Analítico de Compuestos de Tabaco





#### In Mexico City there is a higher compliance to the Tobacco Control Statute



Barrientos – Gutiérrez T. et al.

Monitoring secondhand smoke exposure in restaurants and bars

## 3) Communicates risks, generates knowledge and release public information Research, surveillance and exchange of information





#### **4)** Contributes to development of social marketing Protection from exposure to tobacco smoke in public places




#### "Enjoy smoke-free places"




Promotion designed in the NIPH

A high and increasing percentage of Mexico City's inhabitants supports smoke-free indoor workplaces. 2008.



The support for banning smoking has increased for every enclosed indoor area where the Law applies, 2008.



More than 80% of citizens of Mexico supported the smoke-free legislation

#### 5) Design and evaluates warning intervention

Mexico implemented new health warnings since September 25, 2010







FUMANDO MULTIPLICAS POR CINCO TU RIESGO DE PADECER CÁNCER DE BOCA

Fumando manchas tus dientes y tienes alto riesgo de padecer cáncer de boca y labios.


CONTIENE POLONIO 210 Sustancia radioactiva, tóxica y cancerígena.

Deja de fumar, te conviene 01800 911 2000

The new packaging and labeling includes rotating images (pictograms) designed in the NIPH

#### 6) Documents the economic perspective Implementation of fiscal policies for tobacco control & economic impact evaluation





due to smoke-free legislation



Source: Guerrero-López C et al. INSP

### 8) Participates in capacity building for tobacco control

**Cooperation in the scientific, technical and legal fields** 



PERSPECTIVAS **DE CONTROL** DEL **TABAQUISMO EN AMÉRICA** LATINA Y EL CARIBE

# 2001, 2002, 2003, 2004, 2006, 2007





2008, 2009, 2010 y 2011

August 1 – 5, 2011 **Tobacco control strategies in Mexico: Local and federal** legislation

**Over 500 students and faculty from Mexico and Latinamerica have** shared their experience in tobacco control

#### Tobacco Research Department at the National Institute of Public Health, Mexico



Departamento de Investigación Pablada CO NOS Scientific evid



Scientific evidence, action, and commitment for everyone's health

> 10 years traslating the knowledge into actions!

http://www.insp.mx/tabaco

**THANK YOU!**